

Pilot Sport 4S - part number	Tire Size, Load Index & Speed Rating	Mileage Warranty	Sidewall	UTQG Tread, UTQG Traction, UTQG Temp	Rim Width Range (Min/Max)	Section Width on Measuring Rim Width	Overall Diameter	revs/mi	Tread Depth (in 32nds)	Max Load, Single (lb @ PSI)	Tire Weight
20896	215/45ZR17/XL (91Y)	30,000 Mile	BSW	300/AA/A	7" - 8"	8.4" on 7"	24.7"	844	9.5	1356@50	21.41 lbs
12877	225/35ZR19/XL (88Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.1" on 8"	25.2"	824	9.5	1235@50	20.94 lbs
33095	225/35ZR20/XL (90Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.1" on 8"	26.2"	793	9.5	1323@50	28.66 lbs
02717	225/40ZR18/XL (92Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.1" on 8"	25.1"	829	9.5	1389@50	22.69 lbs
91762	225/40ZR19/XL (93Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.1" on 8"	26.1"	797	9.5	1433@50	21.98 lbs
96232	225/40R19/XL 93Y	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.1" on 8"	26.1"	797	9.5	1433@50	21.85 lbs
68968	225/45ZR17/XL (94Y)	30,000 Mile	BSW	300/AA/A	7" - 8.5"	8.9" on 7.5"	25.0"	833	9.5	1477@50	26.85 lbs
31753	225/45ZR18/XL (95Y)	30,000 Mile	BSW	300/AA/A	7" - 8.5"	8.9" on 7.5"	25.9"	802	9.5	1521@50	23.79 lbs
01983	225/45ZR19/XL (96Y)	30,000 Mile	BSW	300/AA/A	7" - 8.5"	8.9" on 7.5"	27.0"	771	9.5	1565@50	25.33 lbs
86940	225/50ZR17/XL (98Y)	30,000 Mile	BSW	300/AA/A	6" - 8"	9.2" on 7"	25.9"	803	9.5	1653@50	24.14 lbs
73606	225/50ZR18/XL (99Y)	30,000 Mile	BSW	300/AA/A	6" - 8"	9.2" on 7"	26.9"	774	9.5	1709@50	26.06 lbs
34879	235/30ZR20/XL (88Y)	30,000 Mile	BSW	300/AA/A	8.5" - 8.5"	9.5" on 8.5"	25.6"	813	9.5	1235@50	21.36 lbs
10221	235/35ZR19/XL (91Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.5" on 8.5"	25.5"	817	9.5	1356@50	22.22 lbs
85776	235/35ZR19/XL (91Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.5" on 8.5"	25.5"	817	9.5	1356@50	21.87 lbs
33211	235/35ZR20/XL (92Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.5" on 8.5"	26.5"	786	9.5	1389@50	22.69 lbs
08557	235/35ZR20/XL (92Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.5" on 8.5"	26.5"	786	9.5	1389@50	23.1 lbs
49531	235/35ZR20/XL 92Y	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.5" on 8.5"	26.5"	786	9.0	1389@50	24.63 lbs
43847	235/40ZR18/XL (95Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.5" on 8.5"	25.4"	819	9.5	1521@50	23.52 lbs
38754	235/40ZR18/XL (95Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.5" on 8.5"	25.4"	819	9.0	1521@50	null lbs
05800	235/40ZR19/XL (96Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.5" on 8.5"	26.4"	787	9.5	1565@50	24.82 lbs
30110	235/45ZR17/XL (97Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.3" on 8"	25.4"	821	9.5	1609@50	23.85 lbs
31139	235/45ZR18/XL (98Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.3" on 8"	26.3"	790	9.5	1653@50	24.82 lbs
33601	235/45ZR20/XL (100Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.3" on 8"	28.4"	734	9.5	1764@50	29.56 lbs
39562	235/50ZR18/XL (101Y)	30,000 Mile	BSW	300/AA/A	6.5" - 8.5"	9.7" on 7.5"	27.3"	762	9.5	1819@50	27.45 lbs

Pilot Sport 4S - part number	Tire Size, Load Index & Speed Rating	Mileage Warranty	Sidewall	UTQG Tread, UTQG Traction, UTQG Temp	Rim Width Range (Min/Max)	Section Width on Measuring Rim Width	Overall Diameter	revs/mi	Tread Depth (in 32nds)	Max Load, Single (lb @ PSI)	Tire Weight
29621	245/30ZR19/XL (89Y)	30,000 Mile	BSW	300/AA/A	8" - 9"	9.8" on 8.5"	24.8"	837	9.5	1279@50	21.14 lbs
32528	245/30ZR20/XL (90Y)	30,000 Mile	BSW	300/AA/A	8" - 9"	9.8" on 8.5"	25.8"	805	9.5	1323@50	22.88 lbs
04357	245/30ZR20/XL (90Y)	30,000 Mile	BSW	300/AA/A	8" - 9"	9.8" on 8.5"	25.8"	805	9.0	1323@50	22.71 lbs
44019	245/30ZR21/XL (91Y)	30,000 Mile	BSW	300/AA/A	8" - 9"	9.8" on 8.5"	26.8"	776	9.5	1356@50	23.52 lbs
76950	245/35ZR18/XL (92Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	24.8"	840	9.5	1389@50	22.97 lbs
03744	245/35ZR19/XL (93Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	25.8"	807	9.5	1433@50	24.27 lbs
22358	245/35ZR20/XL (95Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	26.8"	777	9.5	1521@50	23.81 lbs
72844	245/35ZR20/XL (95Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	26.8"	777	9.5	1521@50	23.24 lbs
21408	245/35ZR20/XL (95Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	26.8"	777	9.5	1521@50	23.92 lbs
57304	245/35ZR20/XL (95Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	26.8"	777	9.0	1521@50	24.34 lbs
82566	245/35ZR20/XL (95Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	26.8"	777	9.0	1521@50	22.42 lbs
01875	245/35ZR21/XL 96Y	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	27.8"	749	9.0	1565@50	25.15 lbs
63006	245/40ZR17/XL (95Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	24.7"	841	9.5	1521@50	23.94 lbs
37666	245/40ZR18/XL (97Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	25.7"	809	9.5	1609@50	23.59 lbs
25373	245/40ZR19/XL (98Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	26.7"	778	9.5	1653@50	26.57 lbs
13840	245/40ZR20/XL (99Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	9.8" on 8.5"	27.7"	750	9.5	1709@50	28.13 lbs
08090	245/45ZR17/XL (99Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.6" on 8"	25.7"	810	9.5	1709@50	25.51 lbs
03481	245/45ZR18/XL (100Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.6" on 8"	26.7"	780	9.5	1764@50	26.3 lbs
05252	245/45ZR20/XL (103Y)	30,000 Mile	BSW	300/AA/A	7.5" - 9"	9.6" on 8"	28.7"	726	9.5	1929@50	29.78 lbs
10080	255/30ZR19/XL (91Y)	30,000 Mile	BSW	300/AA/A	8.5" - 9.5"	10.2" on 9"	25.1"	829	9.5	1356@50	24.56 lbs
29965	255/30ZR20/XL (92Y)	30,000 Mile	BSW	300/AA/A	8.5" - 9.5"	10.2" on 9"	26.1"	798	9.5	1389@50	23.17 lbs
24541	255/30ZR21/XL (93Y)	30,000 Mile	BSW	300/AA/A	8.5" - 9.5"	10.2" on 9"	27.1"	769	9.5	1433@50	24.91 lbs
23289	255/30ZR22/XL (95Y)	30,000 Mile	BSW	300/AA/A	8.5" - 9.5"	10.2" on 9"	28.1"	741	9.5	1521@50	25.71 lbs
27579	255/35ZR18/XL (94Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	25.0"	832	9.5	1477@50	25.33 lbs

Pilot Sport 4S - part number	Tire Size, Load Index & Speed Rating	Mileage Warranty	Sidewall	UTQG Tread, UTQG Traction, UTQG Temp	Rim Width Range (Min/Max)	Section Width on Measuring Rim Width	Overall Diameter	revs/mi	Tread Depth (in 32nds)	Max Load, Single (lb @ PSI)	Tire Weight
09133	255/35ZR19 (92Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	26.0"	799	9.5	1389@51	23.74 lbs
66901	255/35ZR19/XL (96Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	26.0"	799	9.5	1565@50	23.83 lbs
94916	255/35R19/XL 96Y	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	26.0"	799	9.5	1565@50	25.04 lbs
30209	255/35ZR20/XL (97Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	27.0"	770	9.5	1609@50	26.34 lbs
00832	255/35ZR21/XL (98Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	28.0"	743	9.5	1653@50	25.11 lbs
98512	255/40ZR18/XL (99Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	26.0"	799	9.5	1709@50	26.08 lbs
78074	255/40ZR19/XL (100Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	27.1"	769	8.5	1764@50	28.59 lbs
59321	255/40ZR20/XL (101Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	28.0"	742	9.5	1819@50	28.22 lbs
06699	255/40ZR21/XL (102Y)	30,000 Mile	BSW	300/AA/A	8.5" - 10"	10.2" on 9"	29.0"	717	9.0	1874@50	28.66 lbs
65974	255/45ZR18/XL (103Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	10" on 8.5"	27.1"	769	9.5	1929@50	27.54 lbs
10009	255/45ZR20/XL (105Y)	30,000 Mile	BSW	300/AA/A	8" - 9.5"	10" on 8.5"	29.1"	716	9.5	2039@50	31.81 lbs
79569	265/30ZR19/XL (93Y)	30,000 Mile	BSW	300/AA/A	9" - 10"	10.7" on 9.5"	25.3"	822	9.5	1433@50	24.47 lbs
68444	265/30ZR20/XL (94Y)	30,000 Mile	BSW	300/AA/A	9" - 10"	10.7" on 9.5"	26.3"	791	9.5	1477@50	25.33 lbs
28170	265/30ZR21/XL (96Y)	30,000 Mile	BSW	300/AA/A	9" - 10"	10.7" on 9.5"	27.3"	762	9.5	1565@50	25.02 lbs
53791	265/35ZR18/XL (97Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	25.3"	822	9.5	1609@50	26.06 lbs
87309	265/35ZR19/XL (98Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	26.3"	790	9.5	1653@50	25.37 lbs
33116	265/35ZR20/XL (99Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	27.3"	761	9.5	1709@50	25.97 lbs
14196	265/35ZR20/XL (99Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	27.3"	761	9.5	1709@50	26.28 lbs
07389	265/35ZR20/XL (99Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	27.3"	761	9.5	1709@50	27.36 lbs
58214	265/35ZR21/XL 101Y	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	28.3"	735	9.0	1819@50	28.15 lbs
14189	265/35ZR21/XL (101Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	28.3"	735	9.5	1819@50	26.32 lbs
85587	265/40ZR18/XL (101Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	26.3"	790	9.5	1819@50	26.06 lbs
14885	265/40ZR19/XL (102Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	27.3"	760	9.5	1874@50	27.01 lbs
29960	265/40ZR20/XL (104Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	28.4"	734	9.5	1984@50	28.88 lbs

Pilot Sport 4S - part number	Tire Size, Load Index & Speed Rating	Mileage Warranty	Sidewall	UTQG Tread, UTQG Traction, UTQG Temp	Rim Width Range (Min/Max)	Section Width on Measuring Rim Width	Overall Diameter	revs/mi	Tread Depth (in 32nds)	Max Load, Single (lb @ PSI)	Tire Weight
71043	265/40ZR20/XL (104Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	28.4"	734	9.0	1984@50	null lbs
02987	265/40ZR21/XL (105Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	29.3"	709	9.5	2039@50	28.88 lbs
73316	265/40ZR21/XL (105Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	29.3"	709	9.0	2039@50	null lbs
67853	265/40ZR22/XL (106Y)	30,000 Mile	BSW	300/AA/A	9" - 10.5"	10.7" on 9.5"	30.4"	685	9.5	2094@50	34.11 lbs
52157	275/30ZR19/XL (96Y)	30,000 Mile	BSW	300/AA/A	9" - 10"	10.9" on 9.5"	25.6"	814	9.5	1565@50	26.9 lbs
50352	275/30ZR20/XL (97Y)	30,000 Mile	BSW	300/AA/A	9" - 10"	10.9" on 9.5"	26.5"	784	9.5	1609@50	25.93 lbs
27459	275/30ZR20/XL (97Y)	30,000 Mile	BSW	300/AA/A	9" - 10"	10.9" on 9.5"	26.5"	784	9.5	1609@50	26.65 lbs
08787	275/30ZR20/XL 97Y	30,000 Mile	BSW	300/AA/A	9" - 10"	10.9" on 9.5"	26.5"	784	9.0	1609@50	28.37 lbs
19555	275/30ZR21/XL (98Y)	30,000 Mile	BSW	300/AA/A	9" - 10"	10.9" on 9.5"	27.5"	756	9.5	1653@50	27.56 lbs
00795	275/35ZR18/XL (99Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	25.6"	814	9.5	1709@50	28.09 lbs
10071	275/35ZR19 (96Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	26.6"	783	9.5	1565@51	26.3 lbs
10078	275/35ZR19/XL (100Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	26.6"	783	9.5	1764@50	27.6 lbs
22176	275/35ZR20/XL (102Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	27.6"	755	9.0	1874@50	26.9 lbs
33200	275/35ZR20/XL (102Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	27.6"	755	9.5	1874@50	29.48 lbs
52954	275/35ZR21/XL (103Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	28.5"	729	9.0	1929@50	null lbs
09857	275/35ZR21/XL (103Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	28.5"	729	9.5	1929@50	31.79 lbs
21747	275/40ZR19/XL (105Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	27.7"	751	8.5	2039@50	31.37 lbs
39467	275/40ZR20/XL (106Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	28.7"	726	9.5	2094@50	32.5 lbs
49649	275/40ZR22/XL (107Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	30.7"	678	9.5	2149@50	30.31 lbs
27354	275/40ZR22/XL (108Y)	30,000 Mile	BSW	300/AA/A	9" - 11"	10.9" on 9.5"	30.7"	678	9.5	2205@50	30.31 lbs
69230	285/25ZR20/XL (93Y)	30,000 Mile	BSW	300/AA/A	10.5" - 10.5"	11.6" on 10.5"	25.6"	813	9.5	1433@50	25.79 lbs
44926	285/30ZR20/XL (99Y)	30,000 Mile	BSW	300/AA/A	9.5" - 10.5"	11.4" on 10"	26.8"	777	9.5	1709@50	28.0 lbs
12182	285/35ZR18/XL (101Y)	30,000 Mile	BSW	300/AA/A	9.5" - 11"	11.4" on 10"	25.9"	804	9.5	1819@50	28.81 lbs

Pilot Sport 4S - part number	Tire Size, Load Index & Speed Rating	Mileage Warranty	Sidewall	UTQG Tread, UTQG Traction, UTQG Temp	Rim Width Range (Min/Max)	Section Width on Measuring Rim Width	Overall Diameter	revs/mi	Tread Depth (in 32nds)	Max Load, Single (lb @ PSI)	Tire Weight
79871	285/35ZR19/XL (103Y)	30,000 Mile	BSW	300/AA/A	9.5" - 11"	11.4" on 10"	26.9"	774	9.5	1929@50	30.49 lbs
70968	285/35ZR20/XL (104Y)	30,000 Mile	BSW	300/AA/A	9.5" - 11"	11.4" on 10"	27.9"	746	9.0	1984@50	29.12 lbs
09209	285/35ZR20/XL (104Y)	30,000 Mile	BSW	300/AA/A	9.5" - 11"	11.4" on 10"	27.9"	746	9.5	1984@50	30.34 lbs
98060	285/35ZR20/XL (104Y)	30,000 Mile	BSW	300/AA/A	9.5" - 11"	11.4" on 10"	27.9"	746	9.0	1984@50	28.86 lbs
35726	285/35ZR22/XL (106Y)	30,000 Mile	BSW	300/AA/A	9.5" - 11"	11.4" on 10"	29.9"	696	9.5	2094@50	32.43 lbs
59499	295/25ZR20/XL (95Y)	30,000 Mile	BSW	300/AA/A	10" - 11"	11.9" on 10.5"	25.8"	805	9.5	1521@50	28.62 lbs
33069	295/25ZR21/XL (96Y)	30,000 Mile	BSW	300/AA/A	10" - 11"	11.9" on 10.5"	26.8"	776	9.5	1565@50	28.35 lbs
19577	295/25ZR22/XL (97Y)	30,000 Mile	BSW	300/AA/A	10" - 11"	11.9" on 10.5"	27.8"	747	9.5	1609@50	29.01 lbs
20617	295/30ZR19/XL (100Y)	30,000 Mile	BSW	300/AA/A	10" - 11"	11.9" on 10.5"	26.0"	799	9.5	1764@50	28.17 lbs
06016	295/30ZR20/XL (101Y)	30,000 Mile	BSW	300/AA/A	10" - 11"	11.9" on 10.5"	27.0"	770	9.5	1819@50	29.67 lbs
96583	295/30ZR20/XL (101Y)	30,000 Mile	BSW	300/AA/A	10" - 11"	11.9" on 10.5"	27.0"	770	9.5	1819@50	29.03 lbs
62547	295/30ZR21/XL (102Y)	30,000 Mile	BSW	300/AA/A	10" - 11"	11.9" on 10.5"	28.0"	743	9.5	1874@50	30.03 lbs
10165	295/35ZR19/XL (104Y)	30,000 Mile	BSW	300/AA/A	10" - 11.5"	11.9" on 10.5"	27.1"	767	9.5	1984@50	28.62 lbs
25083	295/35ZR20/XL (105Y)	30,000 Mile	BSW	300/AA/A	10" - 11.5"	11.9" on 10.5"	28.1"	740	9.5	2039@50	31.97 lbs
50466	295/35ZR20/XL (105Y)	30,000 Mile	BSW	300/AA/A	10" - 11.5"	11.9" on 10.5"	28.1"	740	9.5	2039@50	30.47 lbs

Pilot Sport 4S - part number	Tire Size, Load Index &Speed Rating	Mileage Warranty	Sidewall	UTQG Tread, UTQG Traction, UTQG Temp	Rim Width Range (Min/Max)	Section Width on Measuring Rim Width	Overall Diameter	revs/mi	Tread Depth (in 32nds)	Max Load, Single (lb @ PSI)	Tire Weight
13871	295/35ZR20/XL (105Y)	30,000 Mile	BSW	300/AA/A	10" - 11.5"	11.8" on 10.5"	28.1"	740	9.0	2039@50	null lbs
58070	295/35ZR21/XL (107Y)	30,000 Mile	BSW	300/AA/A	10" - 11.5"	11.8" on 10.5"	29.1"	715	9.0	2149@50	31.53 lbs
09881	305/25ZR20/XL (97Y)	30,000 Mile	BSW	300/AA/A	10.5" - 11.5"	12.3" on 11"	26.0"	801	9.5	1609@50	26.87 lbs
21039	305/25ZR21/XL (98Y)	30,000 Mile	BSW	300/AA/A	10.5" - 11.5"	12.3" on 11"	27.0"	771	9.5	1653@50	28.7 lbs
10365	305/30ZR19/XL (102Y)	30,000 Mile	BSW	300/AA/A	10.5" - 11.5"	12.3" on 11"	26.3"	792	9.5	1874@50	27.91 lbs
06890	305/30ZR20/XL (103Y)	30,000 Mile	BSW	300/AA/A	10.5" - 11.5"	12.3" on 11"	27.2"	764	9.5	1929@50	30.51 lbs
23115	305/30ZR20/XL (103Y)	30,000 Mile	BSW	300/AA/A	10.5" - 11.5"	12.3" on 11"	27.2"	764	9.0	1929@50	31.13 lbs
08763	305/30ZR20/XL (103Y)	30,000 Mile	BSW	300/AA/A	10.5" - 11.5"	12.3" on 11"	27.2"	764	9.0	1929@50	30.49 lbs
93363	315/30ZR21/XL (105Y)	30,000 Mile	BSW	300/AA/A	10.5" - 11.5"	12.6" on 11"	28.5"	731	9.0	2039@50	null lbs
78900	325/25ZR20/XL (101Y)	30,000 Mile	BSW	300/AA/A	11.5" - 12.5"	13.2" on 12"	26.4"	788	9.5	1819@50	30.2 lbs
14828	325/25ZR21/XL (102Y)	30,000 Mile	BSW	300/AA/A	11.5" - 12.5"	13.2" on 12"	27.4"	760	9.5	1874@50	28.66 lbs
54332	325/30ZR19/XL (105Y)	30,000 Mile	BSW	300/AA/A	11" - 12"	13" on 11.5"	26.7"	778	9.5	2039@50	31.46 lbs
43501	325/30ZR21/XL (108Y)	30,000 Mile	BSW	300/AA/A	11" - 12"	13" on 11.5"	28.7"	725	9.5	2205@50	33.93 lbs
70264	345/30ZR20 (106Y)	30,000 Mile	BSW	300/AA/A	11.5" - 12.5"	13.8" on 12"	28.2"	738	9.5	2094@51	34.02 lbs